Grass and Forage Science (1979) 34, 325–326

Author index

ADAMSON A.H., NEWELL D.W. and CASTLE M.E. A comparison between supplements to silage of high digestibility offered to dairy cows, 229.
BAGLEY L. *see* Milne J.A.
BAILLIE G.J. *see* Davies G.E.
BAKER, R.D. *see* Combellas J. and *see* Le Du Y.L.P.
BEAN E.W. *see* Harun R.M.R.
CAMLIN M.S. *see* Keatinge J.D.H.
CAMPLING R.C. *see* Thomas S.
CARPINTERO C.M., HENDERSON A.R. and MCDONALD P. The effect of some pre-treatments on proteolysis during the ensiling of herbage, 311.
CASTLE M.E. and WATSON J.N. Silage and milk production: a comparison between soya, ground nut and single-cell protein as silage supplements, 101.
CASTLE M.E., WATSON J.N. and LEAVER J.D. A comparison between barley and groundnut as supplements for dairy cows at pasture, 197.
CASTLE M.E., RETTER W.C. and WATSON J.N. Silage and milk production: comparisons between grass silage of three different chop lengths, 293.
CASTLE M.E. *see* Adamson A.H.
COMBELLAS J. and HODGSON J. Herbage intake and milk production by grazing dairy cows 1. The effects of variation in herbage mass and daily herbage allowance in a short-term trial, 209.
COMBELLAS J., BAKER R.D. and HODGSON J. Concentrate supplementation, and the herbage intake and milk production of heifers grazing *Cenchrus ciliaris*, 303.
COMBELLAS J. *see* Le Du Y.L.P.
DAVIES G.E., NEWBOULD P. and BAILLIE G.J. The effect of controlling bracken (*Pteridium aquilinum* (L.) Kuhn) on pasture production, 163.
EVANS E.M. *see* Walters R.J.K.
FRAME J. *see* Hunt I.V.
FRASER D. *see* Williams G.H.
GILL M. The principles and practice of feeding ruminants on complete diets, 155.
GRANT S.A. *see* Milne J.A.
HAGGER R.J. Competition between *Lolium perenne* and *Poa trivialis* during establishment, 27.
HANNA M.R. *see* Kaldy M.S.
HARGREAVES J.N.G. *see* Jones R.M.
HARKESS R.D. *see* Hunt I.V.
HARUN R.M.R. and BEAN E.W. Seed development and seed shedding in North Italian ecotypes of *Lolium multiflorum*, 215.
HAWKINS S.W. and ROSE P.H. The relationship between the rate of fertilizer nitrogen applied to grassland and milk production; an analysis of recorded farm data, 203.
HAYSTEAD A., KING J. and LAMB W.I.C. Photosynthesis, respiration and nitrogen fixation in white clover, 125.
HAYSTEAD A. and MARRIOTT C. Effects of rates and times of application of starter dressings of nitrogen fertilizer to surface sown perennial ryegrass-white clover on hill peat, 241.
HEBBLETHWAITE P.D. and MCLAREN J.S. Nitrogen studies in *Lolium perenne* grown from seed III. The effect of nitrogen and water stress, 221.
HENDERSON A.R. *see* Carpintero C.M.
HIDES D.H. Winter hardiness in *Lolium multiflorum* Lam.III. Selection for improved cold tolerance and its effect on agronomic performance, 119.
HODGSON J. Nomenclature and definitions in grazing studies, 11.
HODGSON. *see* Combellas J. (2 papers)
see Jamieson W.S. (2 papers)
see Le Du Y.L.P.

HOLMES W. *see* Vadiveloo J. (2 papers)
HUNT I.V., FRAME J. and HARKESS R.D. The effect of date of primary growth harvest and levels of nitrogen and potassium fertilizers on the dry matter production of timothy *(Phleum pratense)*, 131.
JAMIESON W.S. and HODGSON J. The effect of daily herbage allowance and sward characteristics upon the ingestive behaviour and herbage intake of calves under strip-grazing management, 261.
JAMIESON W.S. and HODGSON J. The effects of variation in sward characteristics upon the ingestive behaviour and herbage intake of calves and lambs under a continuous stocking management, 273.
JONES L. The effect of stage of growth on the rate of drying of cut grass at 20°C, 139.
JONES R.M. and HARGREAVES J.N.G. Improvements to the dry-weight-rank method for measuring botanical composition, 181.
JONES R. The effect of drying techniques on formononetin concentration in red clover, 233.
KALDY M.S., HANNA M.R. and SMOLIAK S. Amino acid composition of sainfoin forage, 145.
KEATINGE J.D.H., CAMLIN M.S. and STEWART R.H. The influence of climatic factors on the physiological development in perennial ryegrass, 55.
KING J., LAMB W.I.C. and MCGREGOR M.T. Regrowth of ryegrass swards subject to different cutting regimes and stocking densities, 107.
KING J. *see* Haystead A.
LAIDLAW A.S. Effects of grazing by lambs in autumn on a red clover-perennial ryegrass sward, 191.
LAMB W.I.C. *see* Haystead A.
see King J.
LE DU Y.L.P., COMBELLAS J., HODGSON J. and BAKER R.D. Herbage intake and milk production by grazing dairy cows 2. The effects of level of winter feeding and daily herbage allowance, 249.
LEAVER J.D. *see* Castle M.E.
MARRIOTT C. *see* Haystead A.
MARSH R. The effects of wilting on fermentation in the silo and on the nutritive value of silage, 1.
MCDONALD P. *see* Carpintero C.M.
MCGREGOR M.T. *see* King J.
MCLAREN J.S. *see* Hebblethwaite P.D.
MCNEILLY T. *see* Pike A.
MILNE J.A., BAGLEY L. and GRANT S.A. Effect of season and level of grazing on the utilization of heather by sheep. 2. Diet selection and intake, 45.
MINSON D.J. *see* Rees M.C.
NEWBOULD P. *see* Davies G.E.
NEWELL D.W. *see* Adamson A.H.
PIKE A., MCNEILLY T. and PUTWAIN P.D. Survivor populations of S23 perennial ryegrass from zero-grazed and set-stocked swards, 89.
REES M.C. and MINSON D.J. The validity of *in vitro* techniques using rumen fluid or cellulose for predicting changes in the dry matter digestibility of grasses caused by fertilizer calcium, sulphur, phosphorus and nitrogen, 19.
RETTER W.C. *see* Castle M.E.
ROSE P.H. *see* Hawkins S.W.
SHELDRICK R.D. The quality of 'brown midrib-3' mutant maize grown for forage under field conditions in southern England, 283.
SMOLIAK S. *see* Kaldy M.S.
STEWART R.H. *see* Keatinge J.D.H.
THOMAS S. and CAMPLING R.C. The digestibility of diets containing processed dried lucerne by sheep and cows, 149.
THOMPSON J.K. and WARREN R.W. Variations in composition of pasture herbage, 83.
VADIVELOO J. and HOLMES W. Supplementary feeding of grazing beef cattle, 173.
VADIVELOO J. and HOLMES W. The effects of cereal supplementation of grass and maize silages, 319.
WALTERS R.J.K. and EVANS E.M. Evaluation of a sward sampling technique for estimating herbage intake by grazing sheep, 37.
WARREN R.W. *see* Thompson J.K.
WATSON J.N. *see* Castle M.E. (3 papers)
WILLIAMS G.H. and FRASER D. The effects of asulam, frond cutting and ground mineral phosphate on the yield of swards dominated by bracken (*Pteridium aquilinum* (L.) Kuhn), 95.
WILLIAMS G.H. Effect of time of spraying of glyphosate on the vegetation of an upland deep peat soil, 317.